

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office.....JUL-27-1977 NEW PRIORITY DATE AUG 27 1987

Returned to applicant for correction.....

Corrected application filed.....

Map filed.....JUL 29 1977

The applicant.....X-L Homes, Inc.

P.O. Box 3623....., of Santa Rosa.....
Street and No. or P.O. Box No. City or Town

California 95401....., hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion; if a copartnership or association, give names of members.).....December 31, 1975

.....Santa Rosa, California

1. The source of the proposed appropriation is.....Underground. Well
Name of stream, lake or other source.

2. The amount of water applied for is.....1.5.....second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....acre-feet

3. The water to be used for.....Quasi-Municipal and Domestic
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated).....

(b) Stockwater (state number and kinds of animals to be watered).....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: NE 1/4 NW 1/4 Sec. 3,

T20N, R24E, M.D.B.&M. or at a point from which the North 1/4
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
corner of said Sec. 3 bears N 58° 18' 55" E, 1039.22 feet.
it should be stated.

6. Place of use NE 1/4, NW 1/4, Sec. 3, T20N, R24E, M.D.B.&M.
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about January 1.....and end about December 31....., of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) Drill well, install pump and motor,
water distribution system, storage tank for a community water
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.
system

- 9. Estimated cost of works.....\$150,000.00
- 10. Estimated time required to construct works.....2 years
- 11. Estimated time required to complete the application to beneficial use.....10 years for all units to be built
- 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

A community water system is proposed to serve 50 acres of industrial development, 200 unit mobile home park and a 350 unit subdivision.

Applicant.....X-L Homes., Inc.

By.....s/ Richard W. Arden
Richard W. Arden - Agent
950 Industrial Way
Sparks, Nevada 89431

Compared.....mm/ga.....bl/bc

APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground water development in the area. A measuring device must be installed and measurements of water use kept. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water granted herein at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....1.5.....cubic feet per second, but not to exceed 149.65 million gallons annually.

- Actual construction work shall begin on or before.....June 27, 1978
- Proof of commencement of work shall be filed before.....July 27, 1978
- Work must be prosecuted with reasonable diligence and be completed on or before.....June 27, 1979
- Proof of completion of work shall be filed before.....July 27, 1979
- Application of water to beneficial use shall be made on or before.....June 27, 1982
- Proof of the application of water to beneficial use shall be filed on or before.....July 27, 1982

Map in support of proof of beneficial use shall be filed on or before.....

441331.4905
Commencement of work filed.....AUG 3 1978
Completion of work filed.....SEP 23 1987
Proof of beneficial use filed.....
Cultural map filed.....
Certificate No.....Issued.....
Recorded.....AUG 7 1987.....Page.....
CANCELED
OF APPLICANT TO COUNTY WITH THE PERMIT
Can be rescinded 9-23-87

IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this.....27th.....day of.....DECEMBER.....

A.D. 19.....77.....
RELINQUISHED PERMIT SEP 21 1998
portion being 6.06 ac - Washoe County
Roland D. Westergard
Cmg

SEP 25 1990
CANCELED
FOR APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
Roland D. Westergard P.E. AM. STATE ENGINEER
Port. see file